


ROTATIVE FAT DRAINER Product brochure

xxxxxxx - xxxxxxx 📚



ROTATIVE FAT DRAINER



66

FOR SEPARATING FATS FROM SOLIDS IN COOKED GREAVES OR FAT AND SLUDGE FROM SCREW PRESSES.

The Haarslev Rotative Fat Drainer provides an effective way for your operation to continuously separate the fat and solids components from cooked greaves, or from screw presses.

APPLICABLE FOR:




- Specifically for use in dry rendering processes
- Straining material with relatively higher solids content and relatively less liquid

BENEFITS

- Reliable, low-tech way to separate fats from solids
- Spray nozzles inside help prevent blockages, etc.
- Easy inspection and cleaning

FROM DRYING SECTION



TYPE	DIMENSIONS* (mm)/(ftinch)						WEIGHT		DIAMETER	INLET CAPACITY		PRODUCT		PRODUCT OUTLET		POWER INSTALLED FOR SEPARATOR		POWER INSTALLED FOR SCREW CONVEYOR	
	Leng	Length (L)		Height (H)		Width (W)		/(lb)		(t/h)/ (th. lb/h)		(mm)/(inch)		(mm)/(inch)		(kW)/ (hp)		(kW)/(hp)	
TR050	3,877	12' 9"	2,190	7′ 3″	1,030	3′ 5″	1,000	2,200	Ø550	1-4	2-9	270 x 270	11 x 11	700 x 206	28 x 8	0,37	0,50	1,5	2
TR080	4,790	15′9″	2,460	8′ 1″	1,290	4′ 3″	1,800	4,000	Ø800	5-8	11-18	320 x 320	13 x 13	470 x 340	19 x 13	0,75	1	3	5
TR130	6,356	20' 11"	2,860	9′ 5″	1,290	4′ 3″	2,850	6,300	Ø800	8-10	18-22	320 x 320	13 x 13	470 x 340	19 x 13	1,5	2	3	5

* All statements of dimensions are approximate.

We reserve the right to alter the specifications at any time without prior notice.



PROCESS IS POTENTIAL

HEAD OFFICE

Haarslev Industries A/S • Bogensevej 85 DK-5471 Søndersø • Denmark Telephone: +45 63 83 11 00 Email: info@haarslev.com www.haarslev.com

GLOBAL EXPERIENCE - LOCAL PRESENCE

Please contact us or visit our website to locate the closest sales office.